Clin. Otolaryngol. 1987, **12**, 471–473

Author index to Volume 12

ABRAHAM-INPIJN L., OOSTING J. & HART A.A.M. Bell's palsy: factors affecting the prognosis in 200 patients with reference to hypertension and diabetes mellitus, 349

ALLAN P.L., see Wilson J.A. *et al.*

ALLEN C.R.C., see Price G.J. *et al.*

ANDREASSON L., see Reimer A. *et al.*

ARAN J.-M., see Dauman R. *et al.*

ARIZZI L., see Galioto G.B. *et al.*

BARR, G., SEE OSBORNE J.E. *et al.*

BARTZOKAS C.A., see Swift A.C. *et al.*

BECKERS A., see Norre M.E. *et al.*

BECKINGHAM E., see Jones A.S. *et al.*

BENAZZO M., see Galioto G.B. *et al.*

BINGHAM B.J.G., see Chevretton E. *et al.*

BIRCH L. & ELBROND O. Prospective epidemiological study of common colds and secretory otitis media, 45

BONDING P., see Stage J. & Bonding P.

BOWDLER D.A. & ROGERS J.H. Subglottic stenosis in children: a conservative approach, 383

BRUNK U., see Franzen G. *et al.*

BUENDIA E., see Manos-Pujol M. *et al.*

BUFFIN J.T., see Wight R.G. *et al.*

BULL P.D., see Wight R.G. *et al.*

CALHOUN E.N., see O'Neill G. *et al.*

CALICETI U., see Laudadio P. *et al.*

CARLIN W.V., LESSER T.H.J., JOHN D.G., FIELDER C., CARRICK D.G., THOMAS P.L. & HILL S. Systemic antibiotic prophylaxis and reconstructive ear surgery, 441

CARRICK D.G., see Carlin W.V. *et al.*

CAZENAVE M., see Eschapasse P. *et al.*

CERASOLI P.T., see Laudadio P. *et al.*

CHAPMAN D.F., see Wight R.G. *et al.*

CHARLTON R.A., see Price G.J. *et al.*

CHATFIELD C., see Slack R.W.T. *et al.*

CHEVRETTON E., BINGHAM B.J.G. & FIRMAN E. The prevention of tympanic membrane perforation following the removal of long-term Paparella type II ventilation tubes, 377

CHUI P., see O'Neill G. *et al.*

CLARKE S.E.M., see Watkinson J.C. *et al.*

CLARK D.R., see Smallman L.A. *et al.*

CONNELL J.A., see Wight R.G. *et al.*

CORKILL J.E., see Swift A.C. *et al.*

COUSINS V.S. & JAHNKE K. Light and electronmicroscopic studies on Polycel ™ ossicular replacement prostheses, 183

CROSHER R., see Jones A.S. *et al.*

DAUMAN R., ARAN J.-M. & PORTMAN M. Stapedius reflex and cerebellopontine angle tumours, 119

DAUMAN R., see Eschpasse P. *et al.*

DAWES J.D.K., see Dawes P.J.D.K. *et al.*

DAWES P.J.D.K., FILIPPOU M., WELCH A.R. & DAWES J.D.K. The management of glomus jugulare tumours, 15

DOMMERBY H., see Kryger H. & Dommerby H.

ECCLES R., LANCASHIRE B. & TOLLEY N.S. The effect of aromatics on inspiratory and expiratory nasal resistance to airflow, 11

ELBROND O., see Birch L. & Elbrond O.

ESCHPASSE P., DAUMAN R., CAZENAVE M. & PORTMANN M. Electrophysiological prognosis in facial paralysis, 289

ESCUDERO GOMIS J., see Soto Ortego I. *et al.*

FELDING J.U., see Lindberg H. *et al.*

FIELDER C., see Carlin W.V. *et al.*

FILIPPOU M., see Dawes P.J.D.K. *et al.*

FIRMAN E., see Chevretton E. *et al.*

FORREZ G., see Norre M.E. *et al.*

FRANCIS K.R., see O'Neill G. *et al.*

FRANZEN G., OLOFSSON J., TYTOR M. & BRUNK U. Malignancy grading and cytophotometric evaluation of T_1 lip carcinomas, 81

FRESNO FORCELLEDO M.F., see Soto Ortega I. *et al.*

GAGLIARDI M., see Magliulo G. *et al.*

GALIOTO G., MEVIO E., BANAZZO M., ARIZZI L. & SCELSI M. Prognostic parameters in metastatic spread of laryngeal cancer: clinico-histopathological correlations, 303

GARDNER J.M., see Slack R.W.T. *et al.*

GAVILAN C., see Gavilan J. *et al.*

GAVILAN J., GAVILAN C., MANOS-PUJOL M. & HERRANZ J. Discriminant analysis in predicting survival of patients with cancer of the larynx or hypopharynx, 331

GEOFFRAY B., LUBOINSKI B., WIBAULT P., MICHEAU C. & RICHARD J.M. Combined treatment of cancer of the posterior oral cavity and oropharynx, 429

GIL E., see Manos-Pujol M. *et al.*

HARDCASTLE P.F., see Keay D. *et al.*

HARDY J.G., see Smelt G.J.C. *et al.*

HARMA R. see Vartiainen E. & Harma R.

HARRIS S., see Reimer A. *et al.*

HART A.A.M., see Abraham-Inpijn L. *et al.*

HARVEY K., see Phillips D.E. *et al.*

HAYWARD C., see O'Neill G. *et al.*

HEADING R.C., see Wilson J.A. *et al.*
HERRANZ J., see Gavilan J. *et al.*
HILL S., see Carlin W.V. *et al.*
HOOVER L.A., see Larsson S.G. *et al.*
HOULDER A.E., see Samuel J. & Houlder A.E.
HULSHOF J.H. & VERMEIJ R. The effect of nicotinamide on tinnitus: a double blind controlled study, 211
HUYGEN P.L.M., see Strijbos M. *et al.*

ILLUM P., see Lindeberg H. *et al.*

JAHNKE K., see Cousins V.C. & Jahnke K.
JAHNKE K. Review: Extrusion of middle ear implants, 227
JIMINEZ R., see Manos-Pujol M. *et al.*
JOHN D.G., see Carlin W.V. *et al.*
JOHNSSON L.G., see Palva T. *et al.*
JONES A.S., CROSHER R., WIGHT R.G., LANCER J.M. & BECKINGHAM E. The effect of local anaesthesia of the nasal vestibule on nasal sensation of airflow and nasal resistance, 461
JONES A.S., LANCER J.M., STEVENS J.C. & BECKINGHAM E. Rhinomanometry: do the anterior and posterior methods give equivalent results?, 109
JONES C.J., see Price G.J. *et al.*
JONES A.S. & LANCER J.M. Review: Rhinomanometry, 233
JONES A.S., see Wight R.G. *et al.*
JUILLARD G.J.F., see Larsson S.G. *et al.*

KEAY D., SMITH I., WHITE A. & HARDCASTLE P.F. The nasal cycle and clinical examination of the nose, 345
KENYON G.S. & LEVENS L. The impedance bridge and ENG controlled fistula test: results in children with unilateral deafness and comparison with normal controls, 137
KOHONEN A., see Palva T. *et al.*
KRISTENSEN S., see Tveteras K. & Kristensen S.
KRYGER H. & DOMMERBY H. Haematoma and abscess of the nasal septum, 125

LACHER G., see Portmann M. & Lacher G.
LANCASHIRE B., see Eccles R. *et al.*
LANCER J.M., see Jones A.S. *et al.*
LANCER J.M., see Jones A.S. & Lancer J.M.
LARSSON S.G., HOOVER L.A. & JUILLARD G.J.F. Staging of base of tongue carcinoma by computed tomography, 25
LAUDADIO P., CALICETI U., CERASOLI P.T. & RINALDO CERONI A. Mucoepidermoid tumours of the parotid gland: a very difficult prognostic evaluation, 177
LEE S.W., see Smelt G.J.C. *et al.*
LESSER T.H.J., see Carlin W.V. *et al.*
LEVENS L., see Kenyon G.S. & Levens L.
LINDEBERG H., FELDING J.U., SOGAARD H. & ILLUM P. Reinke's oedema and thyroid function: a prospective study in 43 patients, 417
LIVERPOOL HEAD AND NECK ONCOLOGY GROUP. Factors predicting responses of end stage squamous cell carcinoma of the head and neck to cisplatinum, 167
LLOYD G.A.S., see Phelps P.D. & Lloyd G.A.S.
LUBOINSKI B., see Geoffray B. *et al.*
LUNDGREN K. & OLOFSSON J. Malignant tumours in patients with non-invasive squamous cell lesions of the vocal cords, 39

MAGLIULO G., GAGLIARDI M., RALLI G., PERSICHETTI S. & MUSCATELLO M. BSER audiometry in haemodialysis patients, 249
MANNI J.J., see Stribjbos M. *et al.*
MANOS-GONZALBO M., see Manos-Pujol M. *et al.*
MANOS-PUJOL M., BUENDIA E., MESTRE M., JIMINEZ R., GIL E., MENEN J.P. & MANOS-GONZALBO M. Cellular immunity abnormalities in patients with recurrent Bell's palsy, 283
MANOS-PUJOL M., see Gavilan J. *et al.*
MARAN A.G.D., see Wilson J.A. *et al.*
MAW A.R., see Phillips D.E. *et al.*
MENEN J.P., see Manos-Pujol M. *et al.*
MESTRE M., see Manos-Pujol M. *et al.*
MEVIO E., see Galioto G.B. *et al.*
MICHEAU C., see Geoffray B. *et al.*
MILLS R.P. Persistent middle ear effusions in children with recurrent acute otitis media, 97
MOFFAT D.A., see Croxson G.R. *et al.*
MUNTARBHORN K. & WEBBER P.A. Labyrinthine window rupture with round window predominance: a long-term review of 32 cases, 103
MUSCATELLO M., see Magliulo G. *et al.*

NORRE M.E. Screening methods for caloric testing, 161
NORRE M.E., FORREZ G. & BECKERS A. Vestibulo-spinal function in two syndromes with spontaneous attacks of vertigo: evaluation by posturography, 215

ODETOYINBO O. Complications following total inferior turbinectomy: facts or myths?, 361
O'DONOGHUE G.M. The predictive value of high resolution computerized tomography in chronic suppurative ear disease, 89
OLOFSSON J., see Lundgren J. & Olofsson J.
OLOFSSON J., see Franzen G. *et al.*
O'NEILL G., CALHOUN E.N., FRANCIS K.R., CHUI P. & HAYWARD C. The influence of temporal bone anatomical variation upon the caloric stimulus, 277
OOSTERVELD W.J. Effect of betahistine dihydrochloride on induced vestibular nystagmus: a double blind study, 131
OOSTING J., see Abraham-Inpijn L. *et al.*
OSBORNE J.E., TELFORD D., BARR D. & ROBERTS

C. Adenoid infection: its relationship to otitis media, glue ear and tonsillitis, 261

PALVA T., JOHNSSON L.-G. & KOHONEN A. Ceramic prostheses used as a columella, 33
PERSICHETTI S., see Magliulo G. *et al.*
PHELPS P.D. & LLOYD G.A.S. Which small acoustic neuromas need surgery? The influence of magnetic resonance and air CT meatograms, 191
PHILLIPS D.E., MAW A.R. & HARVEY K. The nasopharynx and adenoid in children with glue ear compared with normal controls, 255
PIRIS J., see Wilson J.A. *et al.*
PORTMAN M., see Dauman R. *et al.*
PORTMANN M., see Eschapasse P. *et al.*
PORTMANN M. & LACHER G. Review: Present management of the reconstruction of the middle ear, 389
PRICE G.J., JONES C.J., CHARLTON R.A. & ALLEN C.M.C. A combined approach to the assessment of neurological dysphagia, 197
PROOPS D.W., see Smallman L.A. *et al.*
PRYDE A., see Wilson J.A. *et al.*
PUKANDER J., see Sipila P. *et al.*

RAINE C.H. see Smallman L.A. *et al.*
RALLI G., see Magliulo G. *et al.*
REIMER A., ANDREASSON L. & HARRIS S. Surgical treament of cholesteatoma: a comparison of closed and open techniques in a follow-up of 164 ears, 447
RICHARD J.M., see Geoffray B. *et al.*
RINALDI CERONI A., see Laudadio P. *et al.*
ROBERTS C., see Osborne J.E. *et al.*
ROBINSON P.M. & WEIR A.M. Interobserver variability in assessment of the larynx, 413
ROBINSON P.M. Secretory otitis media in the adult, 297
ROGERS J.H., see Bowdler D.A. & Rogers J.H.
ROTHERY G.A., WILLAT D.J., RUGMAN F. & STELL P.M. Non-Hodgkin's lymphoma of the head and neck: prognostic factors, 203
RUGMAN F., see Nash J.R. *et al.*

SAMUEL J. & HOULDER A.E. Use of XE-133 gas in the detection of foreign bodies in the lower respiratory tract, 115
SCELSI M., see Galioto G.B. *et al.*
SHAHEEN O.H., see Watkinson J.C. *et al.*
SHENOI P.M., see Smallman L.A. *et al.*
SIPILA P., SORRI M. & PUKANDER J. Double-blind comparison of nedocromil sodium (1% nasal spray) and placebo in rhinitis caused by birch pollen, 365
SLACK R.W.T., GARDER J.M. & CHATFIELD C. Otorrhoea in children with middle ear ventilation tubes: a comparison of different types of tubes, 357
SMALLMAN L.A., CLARK D.R., RAINE C.H., PROOPS D.W. & SHENOI P.M. The presentation of laryngeal tuberculosis, 221
SMELT G.J., LEE S.W., HARDY J.G. & WILSON C.G. The effect of Mucodyne on nasal clearance in healthy adults, 7
SMITH I., see Keay D. *et al.*
SOGAARD H., see Lindeberg H. *et al.*
SORRI M., see Sipila P. *et al.*
SOTO ORTEGA I., SUAREZ NIETO C., FRESNO FORCELLEDA M.F. & ESCUDERO GOMIS J. Lymph node response and its relationship to prognosis in carcinomas of the head and neck, 241
STAGE J. & BONDING P. Peritonsillar abscess with parapharyngeal involvement: incidence and treatment, 1
STELL P.M., see Nash J.R. *et al.*
STEVENS J.C., see Jones A.S. *et al.*
STRIJBOS M., VAN DEN BROEK P., MANNI J.J. & HUYGEN P.L.M. Supraglottic laryngectomy: short- and long-term functional results, 265
SUAREZ NIETO C., see Soto Ortega I. *et al.*
SWIFT A.C., BARTZOKAS C.A. & CORKILL J.E. The clinical significance of the gastro-oral pathway of intestinal bacteria after head and neck cancer surgery, 455

TELFORD D., see Osborne J.E. *et al.*
THOMAS P.L., see Carlin W.V. *et al.*
THOMPSON A.S. Nasal tip numbness following rhinoplasty, 143
TOLLEY N.S., see ECCLES R. *et al.*
TVETERAS K. & KRISTENSEN S. Acute epiglottitis in adults: bacteriology and therapeutic principles, 337
TYTOR M., see Franzen G. *et al.*

VAN DEN BROEK P., see Strijbos M. *et al.*
VARTIAINEN E. & HARMA R. Mastoid obliteration in intact canal wall mastoidectomy, 327
VUYK H. D., FESTEN J. M., SPOELSTRA A.J.G. & TIWARI R.M. Acoustic and aerodynamic parameters of speech after laryngectomy and the Staffieri procedure, 421

WATKINSON J.C., CLARKE S.E.M. & SHAHEEN O.H. An evaluation of the uptake of Technetium 99m (V) Dimercaptosuccinic acid in patients with squamous carcinoma of the head and neck, 405
WEBBER P.A., see Muntarbhorn K. & Webber P.A.
WEIR A.M., see Robinson P.M. & Weir A.M.
WELCH A.R., see Dawes P.J.D.K. *et al.*
WHITE A., see Keay D. *et al.*
WIBAULT P., see Geoffray B. *et al.*
WIGHT R.G., see Jones A.S. *et al.*
WIGHT R.G., JONES A.S., CONNELL J.A., BUFFIN J.T., BULL P.D. & CHAPPMAN D.F. Three-year follow-up (1983–1986) of children undergoing bilateral grommet insertion in Sheffield, 371
WILLAT D.J., see Nash J.R. *et al.*
WILSON C.G., see Smelt G.J.C. *et al.*
WILSON J.A., HEADING R.C., MARAN A.G.D., PRYDE A., PIRIS J. & ALLAN P.L. Globus sensation is not due to gastro-oesophageal reflux, 271

Clin. Otolaryngol. 1987, **12**, 474–475

Subject index to Volume 12

Acoustic Neuromas, 191
Adenoid, 255, 261
AIDS, 75, 313
Aminoglycosides, 65
Aromatics, 11

Babinski's test, 147
Beclomethasone, 53
Betahistine, 131
Bing test, 55
BSER, 61, 249

Caloric tests, 161, 277
Carboxymethylcysteine, 7
Ceramics, 33, 65, 277
Chemosensitivty, 311
Chemotherapy, 147, 167
Cholesteatoma, 315, 316, 447
Chordoma, 310
Chronic suppurative otitis media, 89
Ciliary function, 74
Cisplatinum, 54, 56, 167, 314
Cochlear implants, 58
Cochlear ultrastructure, 69, 148
Common cold, 45
Computed tomography, 25, 89, 157, 191, 401
Computing, 148, 149
Coriolis effect, 314
CPA tumours, 119, 191
Cricoid, 72, 150
CUSA, 56
Cytophotometry, 81

Dysphagia, 197

ECOG, 61
Endolymphatic hydrops, 62, 69
Endoscopy, 153, 313, 316
Epiglottitis, 337
Epistaxis, 49, 316
Ethics, 72, 321
Ethmoidectomy, 313
External ear carcinoma, 312

Facial nerve, 56, 283, 280, 316, 349
Fine needle aspiration biopsy, 65
Fluoro-uracil, 56
Foreign bodies, 115
Free flaps, 309

Gastric emptying, 60
Gamma scintigraphy, 7
Globus, 271
Glomus tumours, 15
Glue ear, 45, 57, 61, 97, 153, 255, 261, 297, 317
Glycoproteins, 61, 70
Grommets, 75, 317, 357, 371, 377

Hay fever, 53
Head and neck carcinoma, 54, 56, 72, 73, 167, 241, 331, 405, 445
Hearing disability, 59, 62
Hearing loss, 55, 59, 60, 63, 71, 145, 153
Hyperthermia, 72

Immunity, 66, 73, 147, 241, 283, 317
Inferior turbinates, 56, 361

Laryngeal assessment, 413
Laryngeal carcinoma, 53, 59, 303
Laryngeal papilloma, 57
Laryngectomy, 53, 73, 74, 265, 421
Laser, 151, 153
Lip carcinoma, 81
Lung scanning, 115
Lymphoma, 203

Mandible, 310, 312
Mannosidosis, 150
Mastoid cavity, 60, 66, 327
Melanoma, 312
Methotrexate, 56
Middle ear mechanics, 71
Migratory skin, 60
MRI, 157, 191
Mucocele, 75
Myocutaneous flaps, 146

Nasal clearance, 7
Nasal cycle, 345
Nasal granulomas, 66
Nasal packing, 58
Nasal resistance, 11, 57, 63, 64, 109, 461
Nasal septum, 125, 311
Nasogastric nutrition, 54
Nasopharyngoscope, 49
Nephrotoxicity, 54
Nicotinamide, 211
Noise exposure, 67
Nutritional status, 58

Oculography, 71, 131, 137, 145, 146
Oesophageal obstruction, 74
Oestrogen receptors, 55
Ossicular reconstruction, 33, 183, 227, 314
Oropharyngeal carcinoma, 429

Otoacoustic emissions, 70
Ototoxicity, 65, 314

Papilloma virus, 57
Parpharyngeal space, 1
Parotid, 177
Perilymph fistula, 103, 137
Peritonsillar abscess, 1
Pharyngolaryngo-oesophagectomy, 60
Photodynamic therapy, 146
Polycel, 183, 228
Progesterone receptors, 55
Pulmonary function, 88

Radiography, 157, 255, 401
Radiotherapy, 15, 54, 60, 147
Reinke's oedema, 417
Rhinitis, 55, 365
Rhinometry, 11, 53, 109, 233, 313
Rhinophyma, 75
Rhinoplasty, 143

Salivary tumours, 310
Screening (for hearing), 63
Second primary tumours, 39
Sinusitis, 74
Sonotubometry, 63
Speech, 71, 76, 145, 421
Stapedial reflex, 119
Staging, 25
Subglottic stenosis, 72, 383
Submucosal diathermy, 56
Swimming, 60, 75

Terfenadine, 53
Thyroidectomy, 53
Thyroid function, 417
Tinnitus, 75, 211
Tissue expansion, 309
Tongue carcinoma, 25
Tonsillectomy, 1
Tonsillitis, 261
Topical anaesthesia, 63, 461
Travelling wave, 62
Tuberculosis, 221
Tympanoplasty, 33, 65, 71, 183, 227, 314, 315, 389, 441

Ultrasound, 149, 311
Usher's syndrome, 70

Vertigo, 137, 215
Vitamin A, 59
Vocal cord, 39
Voice area, 76

Waldeyer's ring, 147